Water Utility Infrastructure Challenges in Underserved Communities

Gilbreeze Subdivision Water and Sewer Systems, Yigo, Guam

Miguel C. Bordallo, P.E., Guam Waterworks Authority


Presentation Agenda

- Guam Waterworks Authority System Overview
- History of Capital Planning and Improvement Program
- Current 5-year Capital Improvement Program
- Project Highlight: Gilbreeze Subdivision Water and Sewer Systems
- Challenges and Considerations

GWA's Water System

Water System


- ~43,000 customers
- 580+ miles of distribution piping
- 25 storage tanks
- 25 booster pump stations
- 120 water supply wells
- 1 surface water treatment plant
- Operation of US DoD-owned Tumon 'Maui' Well




GWA Wastewater System

Wastewater System


- ~29,000 customers
- ~300 miles of collection system piping
- 78+ wastewater lift stations
- 6 wastewater treatment plants



GWA's FY20-24 Financial Plan & 2018 Water Resource Master Plan Update



GWA Capital Improvement Program \$342M for FY20-FY24



Before: Original Agat-Santa Rita WWTP



After: New Agat-Santa Rita WWTP



Before: Original Chaot Water Storage



After: New Water Chaot Storage Tank



Before: Original Testing Laboratory



After: New Compliance Laboratory




Before: "Down Hard" Well D-17



After: Refurbished Well D-17




Project Highlight: Gilbreeze Subdivision Underserved Community in the Northern Village of Yigo, Guam



Project Highlight: Gilbreeze Subdivision Underserved Community in the Northern Village of Yigo, Guam





Faucet

Project Highlight: Gilbreeze Subdivision

Underserved Community in the Northern Village of Yigo, Guam



Rota Dave blvd




Project Highlight: Gilbreeze Subdivision Underserved Community in the Northern Village of Yigo, Guam

- Homes may not be constructed to Building Code requirements
- Temporary / makeshift water storage facilities (drums/totes)
- Unimproved subdivision / no drainage or paved roads



Project Highlight: Gilbreeze Subdivision Underserved Community in the Northern Village of Yigo, Guam

- Homes may not be constructed to Building Code requirements
- Temporary / makeshift water storage facilities (drums/totes)
- Unimproved subdivision / no drainage or paved roads





Water System Improvements

Water System Description:

Six-inch diameter water mains with hydrants will be constructed in the Gilbreeze Subdivision. Due to the subdivision's elevation, a booster pump is needed to provide sufficient water pressure. Two options for booster pumps are:

- Option 1: Construction of a 6-inch water main from the Santa Rosa Tank and future booster pump to the top of Mt. Santa Rosa to connect to the Gilbreeze water system. An easement will be required for this option.
- Option 2: Construction of 6-inch water main from a hydrant on Gayinero Road to the Gilbreeze water system. A booster pump station and land will be required for this option.

	System	Component	Estimated Unit Cost	Number of Units	Cost
	6-inch water mains at the Gilbreeze Subdivision		\$275/linear foot (LF)	9,600LF	\$2,640,000
m	Offsite water system improvements – Option 1	6-inch water main from the Mt. Santa Rosa tank to the subdivision	\$275/LF	5,000LF	\$1,375,000
		Land purchase for easement	\$100,000	1	\$100,000
а	Offsite water system improvements – Option 2	6-inch water main from a hydrant on Gayinero Road to the subdivision	\$275/LF	2,000	\$550,000
		Booster pump station and land purchase	\$1,500,000	1	\$1,500,000

Sewer System Improvements

Sewer System Description:

A gravity sewer system will be installed in the Gilbreeze Subdivision. Due to elevations, most of the lots will need to drain towards a sewer pump station in the southeast corner of the subdivision. A force main will convey wastewater to another gravity system at the entrance to the subdivision. This gravity system will drain towards a low point east of Route 15, where a second pump station is needed to pump wastewater to Gayinero Road. A second force main will convey wastewater to west of the Route 15/Gayinero Road intersection, where a new 3,000-foot gravity system will connect to an existing manhole. Wastewater eventually drains to the Yigo Sewer Pump Station, which might need to be upgraded to accommodate the new wastewater load.

System Component	Estimated Unit Cost	Number of Units	Cost
Gravity sewer system (8-inch diameter)	\$630/LF	15,500 LF	\$9,765,000
Sewer pump stations, including land	\$2,100,000 / station	2 stations	\$4,200,000
Sewer force main (6-inch diameter)	\$275/LF	4,700 LF	\$1,292,500
Potential Yigo Sewer Pump Station upgrade	\$800,000	1	\$800,000
V	\$20,172,500		
V	\$20,847,500		

Execution Challenges and Considerations

COST ISSUES

Customer Costs for Service

- Service Lateral Construction
- System Development Charges (one time)
 - Water: \$2,126
 - Sewer: \$3,474
- Monthly Water / Sewer Charges
 - Average Monthly Bill \$XX.XX

CONSTRUCTION / CONNECTION ISSUES

- Substandard Construction
 - Building Code requirements
 - Interior piping quality
- Backflow prevention
- Onsite water sampling
- Separation of buried utilities on private property
- Potential damages for private piping failure

BIL Implementation Challenges

- Rising construction costs on Guam due to
 - Military buildup
 - Lack of construction labor (H2-B Visa Issue)
 - Global supply chain issues
- Buy America / Buy American provisions add to implementation costs
 - 30% increase in material costs over equivalent available products
- Increase in oil/fuel prices contribute to higher construction costs
 - Shipping cost impacts from fuel surcharges
 - Construction equipment related fuel costs

Potential Solutions

- H-2B visa waiver for non-military construction
- Blanket waiver of Buy America / Buy American provisions
- Flexibility on use of BIL funds for private property improvements to defray connection / construction costs for low-income customers